

SENDGRID

Dashboard

Posts

Media

Pages

Comments

Newsletter

WPForms

Elementor

Templates

Appearance

Plugins

Users

Tools

Settings

General

Writing

Reading

Discussion

Media

Permalinks

Privacy

Akismet Anti-Spam

Font Awesome

WP Mail SMTP

SEO

WP Mail SMTP

a wpforms company

SettingsEmail TestMisc

Heads up! WP Mail SMTP has detected WP Mail Bank is activated. Please deactivate WP Mail Bank to prevent conflicts.

Mail

From Email

ody@sportscience.gr

The email address which emails are sent from.
If you using an email provider (Gmail, Yahoo, Outlook.com, etc) this should be your email address for that account.
Please note that other plugins can change this, to prevent this use the setting below.

☐ Force From Email

If checked, the From Email setting above will be used for all emails, ignoring values set by other plugins.

From Name

Ody wordpress

The name which emails are sent from.

☐ Force From Name

If checked, the From Name setting above will be used for all emails, ignoring values set by other plugins.

Mailer

php

Google

mailgun

SendGrid

php

Google

mailgun

SendGrid

☐ Default (none)

☐ Gmail

☐ Mailgun

☒ SendGrid

☐ Other SMTP

Return Path

☒ Set the return-path to match the From Email

Return Path indicates where non-delivery receipts - or bounce messages - are to be sent.
If unchecked bounce messages may be lost.

SendGrid

[SendGrid](#) is one of the leading transactional email services, sending over 35 billion emails every month. They provide users 100 free emails per month.
Read our [SendGrid documentation](#) to learn how to set up SendGrid and improve your email deliverability.

API Key


SG.GPRkXcXsS6OM-2rIO5BZRg.reVwgOFK6eJsQ9YywEkFp5Ri


Follow this link to get an API Key from SendGrid: [Create API Key](#).
To send emails you will need only a `Mail Send` access level for this API key.


Save Settings


OTHER SMTP


Mailer











☐ Default (none)

☐ Gmail

☐ Mailgun

☐ SendGrid

☒ Other SMTP

Return Path

☒ Set the return-path to match the From Email

Return Path indicates where non-delivery receipts - or bounce messages - are to be sent. If unchecked bounce messages may be lost.

Other SMTP

Use the SMTP details provided by your hosting provider or email service.

To see recommended settings for the popular services as well as troubleshooting tips, check out our [SMTP documentation](#).

SMTP Host

Encryption

☒ None

☐ SSL

☐ TLS

For most servers TLS is the recommended option. If your SMTP provider offers both SSL and TLS options, we recommend using TLS.

SMTP Port

Auto TLS

☒ ON

By default TLS encryption is automatically used if the server supports it, which is recommended. In some cases, due to server misconfigurations, this can cause issues and may need to be disabled.

Authentication

☒ ON

SMTP Username

SMTP Password

The password is stored in plain text. We highly recommend you setup your password in your WordPress configuration file for improved security; to do this add the lines below to your `wp-config.php` file.

```
define( 'WPMS_ON', true );
define( 'WPMS_SMTP_PASS', 'your_password' );
```

Save Settings

Get WPForms Pro and Support WP Mail SMTP

PHP

Dashboard

Posts

Media

Pages

Comments

Newsletter

WPForms

Elementor

Templates

Appearance

Plugins

Users

Tools

Settings

General

Writing

Reading

Discussion

Media

Permalinks

Privacy

Akismet Anti-Spam

Font Awesome

WP Mail SMTP

SEO 3

Mail

From Email

ody@sportscience.gr

The email address which emails are sent from.
If you using an email provider (Gmail, Yahoo, Outlook.com, etc) this should be your email address for that account.

Please note that other plugins can change this, to prevent this use the setting below.

☐ Force From Email

If checked, the From Email setting above will be used for all emails, ignoring values set by other plugins.

From Name


Ody wordpress


The name which emails are sent from.


☐ Force From Name


If checked, the From Name setting above will be used for all emails, ignoring values set by other plugins.


Mailer











☒ Default (none)

☐ Gmail

☐ Mailgun

☐ SendGrid

☐ Other SMTP

Return Path

☒ Set the return-path to match the From Email

Return Path indicates where non-delivery receipts - or bounce messages - are to be sent.
If unchecked bounce messages may be lost.

Default (none)

Windows taskbar with icons for File Explorer, Edge, Chrome, and other applications.

System tray with icons for network, volume, and language.

WP MAIL BANK

Dashboard

Posts

Media

Pages

Comments

Newsletter

WPForms

Elementor

Templates

Appearance

Plugins

Users

Tools

Settings

SEO 3


Mailchimp for WP

Theme Panel

WP Mail Bank

Setup Wizard

Send Test Email

**WP MAIL BANK**
ULTIMATE SMTP & EMAIL LOGS FOR WORDPRESS

SETUP GUIDE

How to setup Gmail/Google SMTP?

How to setup Office 365 SMTP?

How to setup Yahoo SMTP?

How to setup SendGrid SMTP? (Pro)

How to setup Mailgun SMTP? (Pro)

JOIN OUR COMMUNITY

Follow Us on Our Facebook Page

Join Our Facebook VIP Group

Follows Us on Twitter

Contact 24/7 Support

Leave Us a 5 Star Review

Setup Wizard

Basic Info

Account Setup

Confirm

Override From Name Field : *

From Name : *

Yes

ODY's

Do you want to use this Option for all emails, ignoring values set by other plugins?

Override From Email Field : *

From Email : *

Yes

ody@sportscience.gr

Do you want to use this Option for all emails, ignoring values set by other plugins?

Next Step >>

CC : (Pro)

A valid Email Address that will be used in the 'CC' field of the email.
Use Comma ',' for including multiple email addresses in the 'CC' field.

BCC : (Pro)

A valid Email Address that will be used in the 'BCC' field of the email.
Use Comma ',' for including multiple email addresses in the 'BCC' field.

Additional Email Headers : (Pro)

You also can insert additional headers in this optional field in order to include in your email.

Mailer : *

A program that will be used to transmit all your emails.

SMTP Host : *

Server that will send the email.

Encryption : *

Encrypt the email using different methods when sent to the email server.

SMTP Port : *

Port to connect to the email server.

Authentication : *

Method for authentication (almost always Login).

Username : *

Login is typically the full email address (Example:
mailbox@yourdomain.com).

Password : *

Password is typically the same as the password to retrieve the email.

☒ Yes, send a Test Email upon clicking on the Next Step Button to verify Settings

<< Previous Step

Next Step >>